

INDEX MAPS.

T. 29 N.R. 8 W. 2nd Mer.

	70	70	70	69	69	68						
72	6	88	5	84	4	81	3	78	2	75	1	68
	88		88		83		80		78		75	
72	7	87	8	83	9	80	10	77	11	75	12	67
	87		87		83		80		77		74	
72	18	86	17	83	16	80	15	77	14	74	13	67
	86		86		82		79		77		74	
71	19	86	20	82	21	79	22	77	23	74	24	67
	85		85		82		79		76		73	
71	30	85	29	82	28	79	27	76	26	73	25	67
	85		84		81		79		76		73	
71	31	84	32	81	33	78	34	76	35	75	36	66
	66		65		65		65		65		65	

T. 30 N.R. 8 W. 2nd Mer.

	99		99		99		98		98		98	
100	6	121	5	116	4	112	3	109	2	105	1	97
	120		120		116		112		108		105	
100	7	120	8	115	9	112	10	108	11	104	12	97
	119		119		115		111		108		104	
100	18	119	17	115	16	111	15	107	14	103	13	96
	119		118		114		111		107		103	
101	19	118	20	114	21	110	22	107	23	103	24	96
	118		118		114		110		106		103	
101	30	117	29	114	28	110	27	106	26	102	25	96
	117		117		113		109		106		102	
101	31	116	32	113	33	109	34	105	35	102	36	95
	95		94		94		93		93		93	

The figures on the lines refer to the page.

65
 Township 29 North Range West 2nd & 3rd Mer. 6th E.
 South Boundary
 Var. 5° 25' E.

West on South Side Sec. 36
 40.00 Set gr. Sec. post in prairie
 Where raise a mound
 80.00 Set post cor. to Sect. 35 & 36 in prairie
 Where raise a mound
 Land level prairie good soil. Some low places

West on South Side Sec. 35 Var. 5° 28' E
 40.00 Set gr. Sec. post in prairie
 Where raise a mound
 80.00 Set post cor. to Sect. 34 & 35 in prairie
 Where raise a mound
 Land Similar

West on South Side Sec. 34 Var. 5° 35' E
 40.00 Set gr. Sec. post in prairie
 Where raise a mound
 80.00 Set post cor. to Sect. 33 & 34 in prairie
 Where raise a mound
 Land Similar

West on South Side Sec. 33 Var. 5° 40' E
 17.00 Enter Marsh
 38.50 Leave do. & enter dry prairie again
 40.00 Set gr. Sec. post in prairie
 Where raise a mound
 80.00 Set post cor. to Sect. 32 & 33
 Where raise a mound
 dry land similar away

West on South Side Sec. 32 Var. 5° 48' E
 40.00 Set gr. Sec. post in prairie
 Where raise a mound
 78.50 Enter Marsh

Y 29 N. R. 8 W. 2nd Mer. Ind. a

80.00 Set post cor. to Sec. 31 & 32 in marsh
Water too deep for mound. Sand similar

West on South Side Sec. 31 Var. $5^{\circ}55'$ E.

35.00 Leave marsh. Some spots of wet prairie
with but little water

40.00 Set gr. Sec. post in low place in dry prairie
Where raised a mound

85.88 Set post at intersection of West boundary
of this township. ran from the north for
corner of 29th N. of R. 8 + 9 W. in dry prairie
Where raised a mound

Sand similar

This is a right line the whole six miles
Variations of the different miles taken at
the west end - is marked at the top of the pages

Surveyed in 1834 by
Robert Catlett Esq
Dep. Surveyor

East Boundary

Var. $5^{\circ}25'$ E.

North on E. Side Sec. 36

40.00 Set gr. Sec. post in prairie
Where raised a mound

80.00 Set post cor. to Sec. 25 & 36 in
prairie. Where raised a mound.

South - broken by low places and sand
hills north half level good soil as prairie.

Note March 27 - last night about one mile from
the town corner on the preceding page
in a North East direction observed for
the variation and found it $5^{\circ}16'$ discovered
yesterday in crossing range 7 that I was running
to a lip bar. am also satisfied from
observation that the bar. is from 5° to 10° E.

minutes less at the point where I took it than at the town cor. and accordingly shall run from that cor. at 5° 25'

North on E. Side Sec. 25

40.00 Set gr. sec. post in prairie

When raised a mound

80.00 Set post cor. to Sec. 24 & 25

When raised a mound

Land level prairie - broken by wet places - good soil

North on E. Side Sec. 24

40.00 Set gr. sec. post in prairie

When raised a mound

80.00 Set post cor. to Sec. 13 & 24 in

prairie. when raised a mound

Land similar rolling

North on E. Side Sec. 13

40.00 Set gr. sec. post in prairie from which
a Y. oak 8 in. dia. bears S. 25° W. 448 lbs. dist.
and made small mound

61.00 Leave prairie & enter marsh

80.00 Set post cor. to Sec. 12 & 13 in marsh

Water from 1 to 3 feet deep & has a strong
current to S. E.

Y. oak 7 in. dia. bears N. 35° E. 3.59 lbs. dist.

no other trees

Land to marsh similar from Wayne

North on E. Side Sec. 12

15.00 Leave marsh & enter rich barrens

40.00 Set gr. sec. post from which

a W. oak 36 in. dia. bears S. 40° W. 202 lbs. dist.

Br. oak 24 " " " N. 54° W. 298 " "

T29 N. P. 8 W. 2nd Mer. Inath

an old Indian town some 20 or 30 chains
Easterly from this cor.

50.00 Ent. field 5.00 West old marked

57.47 Br. Oak 18 in. dia.

80.00 Set cor. post to Sec. 1 & 12 from which
W. Oak 17 in. dia bears N. 55 $\frac{1}{2}$ W. 151 lks. dist.
Br. do 16 " " " S. 55 W. 161. " "

N. of marsh land rolling 1st rate
thickly timbered with large Br. Oaks some W
& Y. oaks & Cherry ung Hoag's plum &c

North on E. Side Sec. 1

40.00 Set gr. Sec. post from which a
W. Oak 13 in. dia. bears N. 29 W. 131 lks. dist.
Br. Oak 14. " " " S. 1 W. 2.34. " "

42.86 W. Oak 12. " " "

54.37 Y. Oak 16. " "

79.15 Town corner

South $\frac{1}{2}$ land similar

North $\frac{1}{2}$ broken poor lands
rolling - W & Y. oak

Surveyed April 2^d 1884 by
Robert Clark Jr.

Deft Surveyor

North Boundary

Var. 5.25' E.

West on South Side Sec 36 T. 30 N. R. 8 W.

4.00 Enter marsh

18.00 Leave do

29.99 a W. Oak 11 in. dia.

35.00 Enter wet prairie

40.00 Set gr. Sec. post from which a

W. Oak 17 in. dia bears N. 31 E. 231 lks. dist.

Br. do 13, " " " S. 49 $\frac{1}{2}$ W. 119. " "

50.00 Leave wet prairie

Y. 29 N. P. 8 W. 2nd Mer. Ind. 69

67.00 Enter Wet prairie
 76.00 Enter Marsh
 80.00 Set post cor. to Sec. 35 & 36 from which
 a W. oak 16 in. dia. bears N. 81 $\frac{1}{2}$ E. 4.67 112. dist.
 no other trees
 Dry land rolling barren poor Soil
 W. & Y. oak

West on South Side Sec. 35 Y. 30 N. P. 8 W.
 9.00 Leave Marsh. water from 1 to 2 $\frac{1}{2}$ feet deep -
 current S.E.
 30.73 W. oak 15 in. dia.
 40.00 Set gr. Sec. post from which a
 W. oak 10 in. dia. bears S. 83 $\frac{1}{2}$ W. 113 112. dist.
 No. No 6 " " " Y. 85 $\frac{3}{4}$ No. 113 " "
 49.00 Enter Marsh
 80.00 Set post cor. to Sec. 34 & 35 from which
 a W. oak 11 in. dia. bears N. 32 $\frac{1}{2}$ W. 4.59 112. dist.
 " do No 17 " " " N. 1 $\frac{1}{2}$ E. 4.06. " "
 This mile along the north boundary of the
 great prairie - very little timber - level &
 mostly low & wet

West on South Side Sec. 34 Y. 30 N. P. 8 W.
 19.50 Leave Marsh - some dry places - water
 runs easterly - is dry in summer.
 40.00 Set gr. Sec. post from which a
 W. oak 15 in. dia. bears N. 30 W. 86. 112. dist.
 No. No 17 " " " N. 43 $\frac{1}{2}$ E. 85. " "
 66.50 W. oak 8 " "
 80.00 Set post cor. to Sec. 33 & 34 from which
 a W. oak 15 in. dia. bears N. 31 $\frac{1}{2}$ E. 124. 112. dist.
 " No. No. 19 " " " N. 31 $\frac{1}{2}$ W. 2.68. " "
 East 25.00 land similar West 55.00
 rolling barren thin sandy Soil
 W. & Y. oak

T. 29 N. R. 8 W. 2nd Mer. Ind^g

West	on South Side Sec. 33 T. 30 N. R. 8 W.
18.50	W. Oak, 17 in. dia.
26.73	W. do. 10, " " "
28.00	Enter marsh
40.00	Set gr. Sec. post in marsh from which a Y. Oak, 16 in. dia. bears N. 89 E. 1231 ft. dist.
	" do. 10, 18 " " " S. 33 E. 398. " "
59.00	Leave marsh
80.00	Set post to cor. Sec. 32 & 33 from which a W. Oak 18 in. dia. bears N. 42 E. 2.04 ft. dist.
	" do. 17, " " " N. 75 W. 150. " "
	Except marsh - land rolling poor Sandy bare & thinly treed. W & Y. Oak

West	on South Side Sec. 32 T. 30 N. R. 8 W.
31.47	W. Oak, 18 in. dia.
37.71	P. do. 8 " "
40.00	Set gr. Sec. post from which a Y. Oak, 14 in. dia. bears N. 8 E. 1.20 ft. dist.
	do. do. 17 " " " N. 25 W. 98. " "
75.00	Enter West prairie
80.00	Set post cor. to Sec. 31 & 32 from which a Y. Oak, 8 in. dia. bears N. 42 E. 1.81 ft. dist.
	" W. do. 16 " " " N. 14 W. 137. " "
	Land is similar level a large marsh South & near this mile

West	on South Side Sec. 31 T. 30 N. R. 8 W.
9.00	Leave West prairie
13.97	W. Oak 16 in. dia.
22.50	Enter West prairie
40.00	Set gr. Sec. post from which a P. Oak, 15 in. dia. bears N. 48 E. 326 ft. dist.
	do. do. 6 " " " N. 54 W. 1.09. " "
63.00	Leave West prairie on a point of dry land from S. East

71

T. 29 N. R. 8. W. 2nd Mer. Ind.

40.00 Wet prairie or marsh - is larger N. + N.W.

85.53 Cor. of T. 29 + 30 N. of R. 8 + 9 W.

Land Similar

Surveyed April 3rd 1834 by

Robert Clark Esq

Dep^t Surveyor

West Boundary

Var. 5° 55' E.

North on E. Side Sec. 36 T. 29 N. R. 9 W.

40.00 Set gr. Sec. post in dry prairie

Where raise a mound

80.00 Set post cor. to Sec. 25 + 36 in prairie

Where raise a mound

Land rolling dry prairie some small

wet places - good soil

North on E. Side Sec. 25 T. 29 N. R. 9 W.

4.00 Enter marsh

7.50 Leave marsh

40.00 Set gr. Sec. post in dry prairie

Where raise a mound

80.00 Set post cor. to Sec. 24 + 25 in prairie

Where raise a mound

Land Similar

North on E. Side Sec. 24 T. 29 N. R. 9 W.

40.00 Set gr. Sec. post in prairie

Where raise a mound

65.00 Enter small marsh

70.00 Leave the marsh & enter oak barrens

80.00 Set post cor. to Sec. 13 + 24 from which
a G. oak, 18 in. dia. bears N. 69° W. 133 1/2 dist.

" do. do. 27 " " " S. 64 W. 194. " "

Prairie similar barrens thinly

timbered with oak -

T²⁹ N. P. 9 W. 3rd Mer. Indth

North on E. Side Sec. 13 T²⁹ N. R. 9 W.
 20.28 Y. oak 28 in. dia.
 29.00 Enter cut prairie
 40.00 Set gr. Sec. post from which a
 Y. oak, 8 in. dia. bears N. 1 E. 2.50 lbs. dist
 Y. do 15. " " " N. 39 $\frac{1}{2}$ W. 2.19. " "
 42.00 Leave prairie
 50.00 Set post cor. to Sec. 12 & 13 from which
 a P. Oak, 9 in. dia bears S. 37 $\frac{1}{2}$ W. 2.08 lbs. dist
 " do do, 7 " " " S. 63 W. 2.15. " "
 Land rolling barens. 2nd rate very
 thick timbered. W. Y. & P Oak.

North on E. Side Sec. 12 T²⁹ N. R. 9 W.
 4.50 Enter marsh
 14.00 Leave do.
 40.00 Set gr. Sec. post from which a
 W. Oak 16 in. dia. bears S. 12 W. 39 lbs. dist
 W. do, 17 " " " N. 53 W. 15 " "
 42.77 Y. oak 7 " "
 46.00 Enter marsh
 50.00 Set post cor. to Sec. 11 & 12 from which
 a Y. Oak 8 in. dia. bears S. 89 $\frac{1}{2}$ E. 13.75 lbs. dist
 no other tree
 Land South of Marsh similar
 Marsh covered with about 2 feet water

North on E. Side Sec. 1, T²⁹ N. R. 9 W.
 28.50 Leave marsh
 40.00 Set gr. Sec. post from which a
 P. Oak 13 in. dia. bears N. 23 W. 203 lbs. dist
 W. do, 15 " " " S. 45 $\frac{1}{2}$ W. 135. " "
 57.24 P. Oak, 18 in dia
 72.94 W. do, 16 " "
 81.00 Enter marsh
 84.00 Lower corner

Sec. 29 N. R. 9 W. 2nd Mer. Ind. 73

Surveyed April 3^d 1834 by
Robert Clark Esq.
Dep^y Surveyor

Subdivisions

<u>6. S.</u>		<u>Var. 5° 35' West</u>
North	between sections 35 & 36	
40.00	Set gr. Sec. post. when raised a mound Pit E. 3 lbs. dist.	
80.00	Set post cor. to Sec. 25, 26, 35 & 36 Pit South 3 lbs. dist. prairie level dry & sandy Productions prairie grass	
East	on random line between Sec. 25 & 36	
80.52	Intersect East line of Township 47 lbs. north of post	
West	Correct line between Sec. 25 & 36	
40.26	Set gr. Sec. post at average distance When raised a mound Pit East 3 lbs. dist.	
80.52	Section corner, Land & Soil same as before	
North	Between Sec. 25 & 26	
40.00	Set gr. Sec. post when raised a mound Pit East 3 lbs. dist.	
80.00	Set post corner to Sec. 23, 24, 25 & 26 When raised a mound Pit South 3 lbs. dist. Land prairie level Soil rich & dry	
East	on random line between Sec. 24 & 25	
80.82	Intersect East line 16 lbs. north of post	
West	Correct line between Sec. 24 & 25	
40.41	Set gr. Sec. post at average distance	

24 N. P. 8 W. 2nd Mer. Ind.

- C.S.

Where raise a mound

Pt East 3 lks. dist.

80.82

Section Corner Land & Soil same
as before

North

Between Sec 23 & 24

40.00

Set gr. Sec. post where raise a mound

Pt East 3 lks. dist.

80.00

Set post cor. to Secs. 13, 14, 23 & 24

Where raise a mound

Land level dry prairie first rate

East

on random line between Secs. 13 & 24

81.35

Intersect East line of township at post

West

Correct line between Secs. 13 & 24

40.67 $\frac{1}{2}$

Set gr. Sec. post at average distance

Where raise a mound

Pt East 3 lks. dist.

81.35

Section Corner Soil same Land level

North

Between Secs. 13 & 14

40.00

Set gr. Sec. post. where raise a mound

Pt East 3 lks. dist.

80.00

Set post cor. to Secs. 11, 12, 13 & 14

Where raise a mound

Pt South 3 lks. dist.

Dry prairie Soil same (Oct. 20.)

East

on random line between ^{Secs} 12 & 13

81.33

Intersect East line of township 50 lks.
South of post.

West

Correct line between Secs. 12 & 13

40.66 $\frac{1}{2}$

Set gr. Sec. post at average distance

Where raise a mound

T29 N. R. 8 W. 2nd Mer. 3rd Sec.

75

C.D.

Pit East 3 Hrs. Dist.

81.33 To Section corner Land & Soil same

North Between Sect. 11 & 12

40.00 Set gr. Sec. post. where raise a mound
Pit East 3 Hrs. Dist.

80.00 Set post cor to Sect. 1, 2, 11, & 12
Where raise a mound
Pit South 3 Hrs. Dist.

Level dry prairie Land first rate

East on random line between Sect. 1 & 12

4.00 Enter grove

23.50 Leave grove & enter marshy prairie

31.00 Enter small grove

33.00 Leave do do

40.00 Enter grove

81.42 Intersect East boundary 70 Hrs South
of post

West Correct line between Sect. 1 & 12

25.00 W. Oak 24 in. dia.

40.71 Set gr. Sec. post from which a
W. Oak, 15 in. dia. Leads N 86 $\frac{1}{2}$ W, 22 Hrs, Dist.
W. do, 18 " " " S, 40 $\frac{1}{2}$ W, 38, " "

81.42 Section corner

North Between Sect. 1 & 2

40.00 Set gr. Sec. post. After raise a mound
Pit East 3 Hrs. Dist.

79.92 Intersect North boundary 60 Hrs West of post Set
post in marsh cor. to Sect. 1 & 2 no mound
or bearings. Land all wet prairie Except
15 chains on the S. end of line

Surveyed Oct 21st 1834 by

Samuel Goodnow Dep. Sur.

T. 29. N. R. 8 W. 2nd Mer. Ind.

North	Between Secs. 34 & 35
40.00	Set gr. Sec. post. When raise a mound pit East 3 lks. dist.
80.00	Set post cor. to Secs. 26, 27, 34 & 35 When raise a mound pit South 3 lks. dist.
	Land dry prairie very sandy soil first rate
East	on random line between Secs. 26 & 35
79.88	Intersect East line 25 lks. north of post
West	Correct line between Secs. 26 & 35
39.94	Set gr. Sec. post at average distance When raise a mound pit East 3 lks. dist.
79.00	Section Corner
North	Between Secs. 26 & 27
40.00	Set gr. Sec. post. When raise a mound pit East 3 lks. dist.
80.00	Set post cor. to Secs. 22, 23, 26 & 27 When raise a mound pit South 3 lks. dist.
	Dry prairie. Land rich & level
East	on random line between Secs. 23 & 26
79.73	Intersect East line 66 lks. N. of post
West	Correct line between Secs. 23 & 26
39.87	Set gr. Sec. post at average distance When raise a mound pit East 3 lks. dist.
79.73	Section Corner. Soil same as before Land level

Y
Oct 29 N. B. 8th W. 2nd Nov. Ind^a 77

North Between Sections 22 & 23
40.00 Set gr. Sec. post. When raise a mound
pit East 3 lks. dist.
50.00 Set post cor. to Sec. 14, 15, 22 & 23
When raise a mound
pit East 3 lks. dist.
Land level dry prairie. Soil first rate

East on random line between Sec. 14 & 23
80.00 Intersect East line 76 lks. north of post

West Correct line between Sec. 14 & 23
40.05 Set gr. Sec. post at average distance
When raise a mound
pit East 3 lks. dist.
80.11 Section corner, Soil same

North Between Sections 14 & 15
40.00 Set gr. Sec. post. When raise a mound
pit East 3 lks. dist.
80.00 Set post cor. to Sec. 10, 11, 14 & 15
When raise a mound
pit South 3 lks. dist.
Dry prairie level. Soil same

East on random line between Sec. 11 & 14
80.07 Intersect East line 53 lks. N. of post

West Correct line between Sec. 11 & 14
40.08 Set gr. Sec. post at average distance
When raise a mound
pit East 3 lks. dist.
80.17 Section corner
Level first rate dry prairie. Oct. 22nd 1834

North Between sections 10 & 11

29 N. P. 8 W. 2nd Mer. Ind.

C.L North between Sec. 10 & 11 Contd.

40.00 Set gr. Sec. post. When raise a mound
pit East 3¹/₂ M. dist.

80.00 Set post cor. to Sec. 2, 3, 10 & 11

When raise a mound

pit South 3¹/₂ M. dist.

Land & Soil same

East on Random line between Sec. 2 & 11

79.74 Intersect East line 68¹/₂ M. North of post

West Correct line between Sec. 2 & 11

39.87 Set gr. Sec. post at average distance

When raise a mound

pit East 3¹/₂ M. dist.

79.74 Section Corner Land & Soil
Same

North Between Sections 2 & 3

40.00 Set gr. Sec. post. When raise a mound
pit East 3¹/₂ M. dist.

80.66 Intersect North boundary 99¹/₂ M. West
of post. Set post cor. to Sec. 2 & 3

When raise a mound

pit South 3¹/₂ M. dist.

Soil generally dry Land level 2nd
rate at a short distance from the line
on each side and several small
groves of timber. Oct. 24th 1834

North Between Sections 33 & 34

40.00 Set gr. Sec. post. When raise a mound
pit East 3¹/₂ M. dist.

80.00 Set post cor. to Sec. 27, 28, 33 & 34

Level rich prairie

T. 29 N. R. 8 W. 2nd Mer. Ind. 79

East on random line between Sec. 27 & 34
79.75 Intersect East line 8 Mo. N. of post

West Correct line between Sec. 27 & 34
39.77 Set gr. Sec. post at average dist.
79.75 Section corner, Level rich prairie

North Between Sections 27 & 28
40.00 Set gr. Sec. post. When raise a mound
pit East 3 Mo. dist.
80.00 Set post cor. to Sec. 21, 22, 27 & 28
When raise a mound
pit South 3 Mo. dist.
Soil dry except a few small wet
places sand level

East on random line between Sec. 22 & 27
79.73 Intersect East line 23 Mo. S. of post

West Correct line between Sec. 22 & 27
39.86 Set gr. Sec. post. When raise a mound
pit East 3 Mo. dist.
79.73 Section corner, Soil same as before
Level and mostly first rate

North Between Sections 21 & 22
40.00 Set gr. Sec. post. When raise a mound
pit East 3 Mo. dist.
80.00 Set post cor. to Sec. 15, 16, 21 & 22
When raise a mound
pit South 3 Mo. dist.
Soil generally dry surface & quality
same

East on random line between Sec. 15 & 22
79.38 Intersect East line 42 Mo. South of post

29 N. P. 8 W. 2nd Mer. Enc.

West	Correct line between Secs 15 + 22
39.69	Set gr. Sec. post at average distance Where raise a mound pit East 3 lks. dist
78.38	Section corner Sand & Soil Sand
North	Between Sections 15 + 16
40.00	Set gr. Sec. post, where raise a mound pit East 3 lks. dist
80.00	Set post cor. to Secs 9, 10, 15 + 16 Where raise a mound pit South 3 lks. dist
	Level dry prairie first rate. Oct 23 rd 1834
East	on random line between Secs 10 + 15
78.95	Intersect East line 44 lks. S. of post
West	Correct line between Secs 10 + 15
39.47 $\frac{1}{2}$	Set gr. Sec. post at average distance Where raise a mound pit East 3 lks. dist
78.95	Section corner, east half quite wet west half dry
North	Between Sections 9 + 10
40.00	Set gr. Sec. post, where raise a mound pit East 3 lks. dist
62.50	B. Oak 18 in dia. & Enter grove
80.00	Set post cor. to Secs 3, 4, 9, & 10 from which a W. Oak 12 in. dia bears S. 6° W. 2.92 lks. dist a B. Oak, 12 in. dia. bears N. 70° E. 1.05 lks. dist Land level mostly dry & rich
East	on random line between Secs 3 + 10
23.00	Leave grove & Enter prairie
78.93	Intersect East line 70 lks. South of post

29 N. B. 8 W. 2nd Nov. Ind^a 81

West Correct line between Secs. 3 & 10
38.46 $\frac{1}{2}$ Set gr. Sec. post when raise a mound
pit East 3 ths. dist.
48.93 Section corner, Oct. 24 $\frac{16}{7}$ 1834
Soil light & sandy sand moderately uneven

North Between Sections 3 & 4
7.08 R. Oak, 18 in. dia,
9.50 B. do. 10 " "
40.00 Set gr. Sec. post from which a
B. oak, 26. in. dia, bears S. 40° E 2.40, 1ks dist.
W. Oak, 12. " " " N. 5° W, 3.75, " "
51.50 B. Oak, 24. " "
72.00 W. Oak, 22. " "
81.83 Intersect north boundary 64 lks E. of post
Set post cor. to Sec. 3 & 4 from which
a W. Oak, 22. in. dia, bears S. 35° W, 47 lks dist
" do. do. 24. " " " S. 25° E. 62. " "
Soil thin & sandy. W. & B. oak

North	Between Sections 32 & 33
40.00	Set gr. Sec. post. When raise a mound or pit East 3 Mts. dist.
80.00	Set post cor. to Secs 28, 29, 32 & 33 When raise a mound pit South 3 Mts. dist.
	Dry level prairie. first rate

East on random line between sect 28 & 32
 19.62 Intersect East line 11 lbs. north of post

West Correct line between Secs, 28 & 33
39.81 Set gr. Sec. post where raise a mound
pit East $\frac{1}{2}$ Mo. dist.
79.62 Section corner Laura & Soil
Same

Y 29 N. B. & W. 2nd Mer. End^a

North Between Sections 28 & 29
 40.00 Set gr. Sec. post. where raise a mound
 pit East 3 Mts. dist.
 80.00 Set post cor. to Sect. 20, 21, 28 & 29
 where raise a mound
 pit South 3 Mts. dist.
 Land and Soil Same

East on random between Sect. 21 & 28
 79.43 Intersect East line 40 Mts. N. of post

West correct line between Sect. 21 & 28
 39.71 $\frac{1}{2}$ Set gr. Sec. post. where raise a mound
 pit East 3 Mts. dist.
 79.43 Section corner.
 Land and Soil Same

North Between Sections 20 & 21
 40.00 Set gr. Sec. post. where raise a mound
 pit East 3 Mts. dist.
 80.00 Set post. cor. to Sect. 16, 17, 20 & 21
 where raise a mound
 pit South 3 Mts. dist.
 Soil Same Land Level, on the N.W. gr.
 of Sect. 21 is a small grove of timber

East on random between Sect. 16 & 21
 79.16 Intersect East line 57 Mts. N. of post

West correct line between Sect. 16 & 21
 39.58 Set gr. Sec. post. where raise a mound
 pit East 3 Mts. dist.
 79.16 Section corner. West half dry
 East half very wet all prairie
 and level Oct. 26th 1834

I 29 N. B. 8 W. 2 na Nov. And a ⁸³

€ North	Between Sections 16 & 17
40.00	Set gr. Sec. post. where raise a mound pit East 3 1/2 Mo. dist.
80.00	Set post cor. to Secs. 8, 9, 16 & 17 When raise a mound pit South 3 1/2 Mo. dist.
	Soil dry & sandy Level 2 $\frac{2}{11}$ rate

Cast on random between Sep. 9 & 16

78.40 Intersect East line 31 lks north of post

West Correct line between Secs 9 & 10
39.45 Dig gr. Sec. post. where raise a mound
pit East 3 Mrs. dist.
78.90 Section corner, Soil & Surface same

North Between Sections 8 & 9
25.00 Enter grove
40.00 Set gr. Sec. post from which a
W. Oak 8 in. dia. leans S. 26° E 11/162, dist
Aspen 16 " " " N. 30° W. 37 " "
44.00 Leave grove & enter marshy prairie
65.00 Enter timber
71.00 W. Oak 48 in. dia.
80.00 Set post cor. to Sect 4, 5, 8 & 9
" B. Oak 24 in. dia. leans S. 6° E. 282 1/2 feet
" B. 110, 34. " " " N. 30° W. 229 " "
Land generally marshy

East on random between Dec. 4 & 9

7885 Intersect East line 30 kls north of post

West correct line between Secs. 4 & 9
16.00 W. Oak. 15 in. dia,
39.42½ Sec gr. Sec. post. from which a
W. Oak. 16 in. dia. leans S 35° E. 43 lbs. dist.

29. N. B. 8 M. 2nd Mon. Ind.

78.85 W. Oak 14 in. dia. bears S. 60° W. 184 1/2 lbs. dist.
Section corner timber W. & B. Oak
Soil Light & Sandy Sand mostly
Level

North
40.00 "Between Sections 4 & 5
Set gr. Sec. post. from which a
"B. Oak 13 in. dia. bears N. 66° E. 60. lbs. dist.
"B. do. 16 " " " N. 35° W. 34. " "
41.25 "B. do. 18 " "
81.83 Intersect N. boundary 2 E. 45 lbs. East of post
Set post cor. to Sec. 4 & 5. "B. Oak
8 in. dia. bears S. 34° W. 61. lbs. dist.
"B. Oak 15 in. dia. bears S. 56° E. 1 Ch. 16 lbs.
South part sandy north half
rather wet. Level. W. & "B. Oak
October 27th 1834

North
40.00 "Between Sections 31 & 32
Set gr. Sec. post. Where raise a mound
pit East 3 lbs. dist.
80.00 Set post cor. to Sec. 29. 30. 31 & 32
Where raise a mound
pit South 3 lbs. dist.
Dry prairie with a few small
Ereptions Level first rate

East on random between Sec. 29 & 32
79.29 Intersect East line 6 lbs. E. of post

West correct line between Sec. 29 & 32
39.64 1/2 Set gr. Sec. post at average distance
Where raise a mound
pit East 3 lbs. dist.
79.29 Section corner
Level dry sandy prairie

J. 29. N. Ros W. 2nd Mer. Ind. 85

West on random between Secs 30 & 31
86.40 Intersect West Boundary 23 1/2 m. N. of post

East Correct line between Secs 30 & 31
46.40 Set gr. Sec. post as corrected when raise a mound.
pit East 3 links distant
86.40 Section corner, Dry sandy prairie a usual level first rate

North Between Sections 29 & 30
40.00 Set gr. Sec. post. Where raise a mound
pit East 3 1/2 m. dist.
80.00 Set post cor. to Secs 19, 20, 29 & 30
Where raise a mound
pit South 3 1/2 m. dist.
Soil mostly dry land (nearly level)

West on random between Secs 19 & 30
87.42 Intersect West Boundary 50 m. N. of post

East Correct line between Secs 19 & 30
47.42 Set gr. Sec. post. Where a raise a mound
pit East 3 1/2 m. dist.
87.42 Section corner. Dry prairie Soil
totally good Land level

East on random between Secs 20 & 29
78.32 Intersect east line 21 m. S. of post

West Correct line between Secs 20 & 29
39.16 Set gr. Sec. post at average distance
Where raise a mound
pit East 3 m. dist.
78.32 Section corner prairie dry
with a few exceptions. 2nd rate

T29 N. R. 8 W. 2nd Mer. Ind. 7.

North	Between Sections 19 & 20
40.00	Set gr. Sec. post when raise a mound pit East 3 lks. dist.
80.00	Set post cor. to Secs 17, 18, 19 & 20 When raise a mound pit E. 3 lks. dist.
	Dry prairie. Moderately uneven 2 nd rate
East	on random between Secs 17 & 20
78.20	Intersect East line at post.
West	correct between Secs 17 & 20
39.10	Set gr. Sec. post when raise a mound pit East 3 lks. dist.
78.20	Section corner. Laid & laid Said October 28 th 1834
West	on random between Secs 18 & 19
87.75	Intersect West Boundary 55 lks South
East	Correct line between Secs 18 & 19 B. Oak, 30 in. dia. bear N. 56° E. 434 lks. dist. B. No. 24 " " " S. 27° E. 3.30. " "
47.75	Set gr. Sec. post. when raise a mound pit East 3 lks. dist.
87.75	Section corner. dry prairie except a few places. Scattering oaks on the West Boundary
North	Between Sections 17 & 18
40.00	Set gr. Sec. post. when raise a mound pit East 3 lks. dist.
80.00	Set post cor. to Secs 7, 8, 17 & 18 South half dry prairie North half wet prairie raise a mound pit South 3 lks. dist.

Sec 29 N. P. & W. 2nd Mer. Ind. 87

East	on random between Secs 8 & 17
29.00	Enter timber
60.0	Enter prairie
78.80	Intersect East line of Mo. north of post
West	Correct line between 8 & 17
20.00	B. Oak 24 in. dia,
39.40	Set gr. Sec. post in a small opening When raise a mound pit East 3 ¹ / ₂ m. dist.
78.80	Section Corner prairie rather flat Timber a small light & sandy rolling B. W. & B. Oaks
West	on random between Secs 7 & 18
5.00	Enter timber
87.55	Intersect West Boundary 92 ¹ / ₂ m. S. of post B. Oak 10 in. dia. bears S 36° E. 2 ¹ / ₂ m. dist. W. do 30 " " " N. 54 ¹ / ₂ E. 3.00 " "
East	Correct line between Secs 7 & 18
47.55	Set gr. Sec. post as corrected from which a B. Oak, 8 in. dia, bears S. 6° E. 25 ¹ / ₂ m. dist. " B. do, 6 in. " " N. 32 ¹ / ₂ W. 28. " "
87.55	Section Corner W. & B. oak thin & sandy Soil Sandy
North	Between Sections 7 & 8
18.50	Leave prairie
31.00	B. Oak 24 in. dia.
40.00	Set gr. Sec. post from which a W. Oak 20 in. dia bears S. 64° E. 42 ¹ / ₂ m. dist. B. Oaks, 18 " " " N. 53 ¹ / ₂ W. 92. " "
45.70	W. Oak. 26 " "
80.00	Set post cor. to Secs 5, 6, 7 & 8 from which

29. N. P. & W. 2nd Mer. Sec. 4

W. oak 20 in, dia. leaves N. 57 $\frac{1}{2}$ W. 95 lbs. dist.

W. do 18 " " " S. 78. E. 150 " "

Timber B. & W. oak Soil thin & wet land mostly level

East on random between Sec. 5 & 8
79.38 Intersect East line 1 chain N. of post

West Correct line line between Sec. 5 & 8
39.69 Set gr. Sec. post at average distance from which
a B. oak 16 in. dia. leaves S. 82 $\frac{1}{2}$ E. 130 lbs. dist.
" W. do 20 " " " N. 41 W. 155. " "
45.00 " W. do 22 " "
79.38 Section corner low wet land
with scattering shrubby timber

West on random between Sec. 6 & 7
30.00 Enter wet prairie
59.00 Leave prairie & enter grove
74.00 Enter marshy prairie
87.56 Intersect West Boundary 30 lbs. South
of post (marked post no trees near)

East Correct line between Sec. 6 & 7
47.56 Set gr. Sec. post as corrected from which
a B. oak 36 in. dia. leaves S. 32 $\frac{1}{2}$ E. 306 lbs. dist.
" W. oak 30 " " " S. 33, W. 50. 44 lbs. dist.
70.00 " W. do 22 " " "
87.56 Section corner Oct. 29 1834

North Between Sections 5 & 6
16.00 Enter wet prairie
40.00 Set gr. Sec. post. When raise a mound
pit East 3 lbs. dist.
53.50 Enter timber
82.38 Intersect North Boundary 1 c. 60 lbs
East of post, where ———

Comp^d

Set post cor. to Sect. 5 & 6 from which
 a B. Oak 30 in. dia. leans S. 62° E. 40.85, 112.12
 " B. Oak 12 " " " S. 7 W. 50.34. " "
 Similar B. Oak principally undergrowth
 Same Soil poor Nov. 1st 1834

This Township contains considerable
 good land & in the north part some
 timber. The Soil in the timber is sandy
 & poor there are no springs or stone, the
 prairie is cov. with coarse grass & the
 timber has very little undergrowth all
 post not noted as having bearing trees
 are set in mounds agreeable to instru-
 ctions. The pits at the corner posts are
 South & at the quarter sections posts & are
 always immediately at the of the mounds
 which leaves a space of about 3 lbs. between the
 posts & the pits

I hereby certify that in pursuance of a
 contract with Mr. J. Williams Surveyor
 General of the United States for the States
 of Ohio Indiana & the Territory of
 Michigan, bearing date the 27th of
 October 1834 & in strict conformity to the
 Laws of the United States & the instructions
 of the Surveyor General, I have Surveyed
 & Subdivided into Sections, Township
 No. 29 North in Range No. eight West of the
 3rd principal Meridian in the State of Indiana
 and I do further certify that the foregoing are
 the true & original field notes of the said survey
 & Subdivisions executed as aforesaid. Certified
 this 14th day Nov. 1834, Samuel Goodnow
 Isaac Toulinson } Dept. Surveyor
 Frederic Lichlyter } Chainmen
 William D. Porter - Marker

^{by}
T. 29 N. R. 8 W. 2nd Mer. Ind

I certify that the foregoing transcript
of field notes of Township 29 North Range
8 West, 2nd Meridian, state of Indiana
has been compared with the original in
this office and found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office,
Cincinnati. Sept. 30th 1842.